## bs-7171R

## [ Primary Antibody ]


## ZNF112 Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –		400-901-9800
Host: Rabbit	Isotype: IgG	Applications: WB (1:500-2000)
Clonality: Polyclonal		IHC-P (1:100-500) IHC-F (1:100-500)
GenelD: 7771	<b>SWISS:</b> Q9UJU3	<b>IF</b> (1:100-500)
Target: ZNF112		Reactivity: Human
Immunogen: KLH conjugated sy 131-230/913.	nthetic peptide derived from human Z	NF112:
Purification: affinity purified by	Protein A	
Concentration: 1mg/ml		Predicted MW.: <sup>106 kDa</sup>
Glycerol.	with 1% BSA, 0.02% Proclin300 and 50 pre at -20°C for one year. Avoid repeate	% Subcellular Nucleus
its related pathway	r Protein 112) is a Protein Coding gene /s are Gene Expression. GO annotation: e nucleic acid binding. An important pa /.	s related

## - VALIDATION IMAGES



Sample: 293T(Human) Cell Lysate at 30 ug Primary: Anti-ZNF112 (bs-7171R) at 1/1000 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 106 kD Observed band size: 106 kD



Paraformaldehyde-fixed, paraffin embedded (human brain); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (ZNF112) Polyclonal Antibody, Unconjugated (bs-7171R) at 1:200 overnight at 4°C, followed by operating according to SP Kit(Rabbit) (sp-0023) instructionsand DAB staining.