bs-18045R

[Primary Antibody]

HLF Rabbit pAb



sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET		400-901-9800
Host: Rabbit	Isotype: IgG	Applications: ELISA (1:5000-10000)
Clonality: Polyclonal		Reactivity: (predicted: Human, Mouse,
GenelD: 3131	SWISS: Q16534	Rat, Cow, Horse)
Target: HLF		
Immunogen: KLH conjugated synthetic peptide derived from human HLF: 201-295/295.		Predicted MW.: ^{33 kDa}
Purification: affinity purified by Protein A		Subcellular Location: Nucleus
Concentration: 1mg/ml		
Glycerol.	4) with 1% BSA, 0.02% Proclin300 and 50% Store at -20°C for one year. Avoid repeated es.	
protein family, a encoded protein PAR family mem elements to activ fusing portions c childhood B-line spliced transcrip	es a member of the proline and acidic-rich (PAF subset of the bZIP transcription factors. The forms homodimers or heterodimers with othe bers and binds sequence-specific promoter vate transcription. Chromosomal translocation of this gene with the E2A gene cause a subset of age acute lymphoid leukemias. Alternatively t variants have been described, but their y has not been determined. [provided by RefSe	r S