## bs-16244R

## [ Primary Antibody ]

## GIGYF1 Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Rabbit Clonality: Polyclonal	<b>Isotype:</b> IgG	Applications: IHC-P (1:100-500) IHC-F (1:100-500) IF (1:100-500)
GenelD: 64599 Target: GIGYF1	SWISS: 075420	ICC/IF (1:100-500) ELISA (1:5000-10000)
Immunogen: KLH conjugated synthetic peptide derived from human GIGYF1: 31-130/1035. Purification: affinity purified by Protein A		GYF1: <b>Reactivity:</b> (predicted: Human, Mouse, Rat, Rabbit, Pig, Sheep, Cow, Horse)
<ul> <li>Concentration: 1mg/ml</li> <li>Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.</li> <li>Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.</li> <li>Background: PERQ1 is a 1,035 amino acid phosphoprotein that contains one GYF</li> </ul>		Subcellular Location: Nucleus
PERQ1 exhibits high heart, spleen and ki terminal half and a terminal half. PERQ increased under IGF of the PERQ1/GRB10 also increase IRS-1, IGF-I stimulation, ar	s to the PERQ family. Ubiquitously exp test expression in brain and lung, follow dney. PERQ1 contains a GYF domain in clathrin light chain homology domain i 1 interacts with GRB10, with transient k -I stimulation, thereby leading to recru 0 complex to the IGF-I receptor. PERQ1 Shc and IGF-I receptor phosphorylation and may act cooperatively with GRB10 to nase receptor signaling.	ved by its N- n its C- binding uitment may n during