bs-8354R

[Primary Antibody]

Bioss ANTIBODIES

UBE2D4 Rabbit pAb

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

- DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

GenelD: 55585 **SWISS:** Q7Z7E8.1

Target: UBE2D4

Immunogen: KLH conjugated synthetic peptide derived from human UBE2D4:

31-130/147.

Purification: affinity purified by Protein A

Concentration: 1mg/ml

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

Background: Ubiquitination involves at least three classes of enzymes:

ubiquitin-activating enzymes (UBE1s), ubiquitin-conjugating enzymes (UBE2s), and ubiquitin-protein ligases (UBE3s). When ubiquitin is activated by a UBE1, it is transferred to the cysteine residue on a UBE2. UBE2 then binds a UBE3, which transfers the ubiquitin from the UBE2 cysteine to a lysine residue on the target protein. Ubiquitin-conjugating enzyme E2 Q1 (UBE2Q1), also known as ubiquitin-protein ligase Q1 or ubiquitin carrier protein Q1, is an 422 amino acid protein belonging to the ubiquitin-conjugating enzyme (UBE2) family. Two named isoforms of UBE2Q1 exist as a result of alternative splicing events.

Applications: WB (1:500-2000)

IHC-P (1:100-500) **IHC-F** (1:100-500) **IF** (1:100-500)

Reactivity: Human, Rat

(predicted: Mouse, Pig, Sheep, Cow, Chicken,

Horse)


Predicted MW.: 17 kDa

Subcellular Cytoplasm , Nucleus

VALIDATION IMAGES



Sample: A549 Cell (Human) Lysate at 40 ug Primary: Anti-UBE2D4 (bs-8354R) at 1/300 dilution Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution Predicted band size: 17 kD Observed band size: 18 kD



Paraformaldehyde-fixed, paraffin embedded Rat ovary; Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Block endogenous peroxidase by 3% hydrogen peroxide for 20 minutes; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with UBE2D4 Polyclonal Antibody, Unconjugated (bs-8354R) at 1:600 overnight at 4°C, DAB staining.