

**bs-7887R**

**[ Primary Antibody ]**

## Cyclin K Rabbit pAb



www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

### — DATASHEET —

<p><b>Host:</b> Rabbit</p> <p><b>Clonality:</b> Polyclonal</p> <p><b>GeneID:</b> 8812</p> <p><b>Target:</b> Cyclin K</p> <p><b>Immunogen:</b> KLH conjugated synthetic peptide derived from human Cyclin K/CCNK: 151-250/580.</p> <p><b>Purification:</b> affinity purified by Protein A</p> <p><b>Concentration:</b> 1mg/ml</p> <p><b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.</p> <p><b>Background:</b> May play a role in transcriptional regulation. In vitro, is associated with a kinase activity toward both RNA polymerase II C-terminal domain and CDK2 (CAK). Tissue specificity: Ubiquitously expressed. Highest levels in testis.</p>	<p><b>Isotype:</b> IgG</p> <p><b>SWISS:</b> O75909</p>	<p><b>Applications:</b> <b>WB</b> (1:500-2000) <b>IHC-P</b> (1:100-500) <b>IHC-F</b> (1:100-500) <b>IF</b> (1:100-500) <b>ELISA</b> (1:5000-10000)</p> <p><b>Reactivity:</b> Mouse (predicted: Human, Rat, Pig, Sheep, Cow, Chicken, Dog)</p> <p><b>Predicted MW.:</b> 64 kDa</p> <p><b>Subcellular Location:</b> Nucleus</p>
---	--	---