

bs-12318R**[Primary Antibody]****SCUBE2 Rabbit pAb**

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

Host: Rabbit	Isotype: IgG	Applications: IHC-P (1:100-500) IHC-F (1:100-500) IF (1:100-500) ICC/IF (1:100-500) ELISA (1:5000-10000) Reactivity: (predicted: Human, Mouse, Rat, Rabbit, Chicken, Dog, Horse) Predicted MW.: 107 kDa Subcellular Location: Secreted
Clonality: Polyclonal		
GeneID: 57758	SWISS: Q9NQ36	
Target: SCUBE2		
Immunogen: KLH conjugated synthetic peptide derived from Human SCUBE2: 881-999/999.		
Purification: affinity purified by Protein A		
Concentration: 1mg/ml		
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Background: SCUBE2 is a 999 amino acid protein that is ubiquitously expressed in adult tissues and belongs to the evolutionarily conserved SCUBE protein family. Containing a CUB domain and nine EGF-like domains, SCUBE2 manifests as a secreted surface-anchored glycoprotein when overexpressed and is considered a novel component of the HH (Hedgehog) signal. The HH signal plays a pivotal role in induction of ventral neuronal and muscle cell types around the midline during vertebrate development. It is suggested that SCUBE2 expression is important in breast cancer progression and may serve as a useful prognostic marker. SCUBE2 forms homo-oligomers and hetero-oligomers with SCUBE1 and SCUBE3. Expressed as three isoforms produced by alternative splicing events, SCUBE2 is encoded by a gene located on human chromosome 11, which houses over 1,400 genes and comprises nearly 4% of the human genome.		

— SELECTED CITATIONS —

- **[IF=2.8]** Jinsong Liu. et al. Identification and multi-dimensional validation of mitochondrial permeability transition-driven necrosis-related model to assess the prognosis and immunotherapy value in breast cancer. EUROPEAN JOURNAL OF MEDICAL RESEARCH. 2025 Feb 18;30(1):113. Ihc ;Rabbit. 39966932