

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

Protein BOC Rabbit pAb

Catalog Number: bs-12322R

Concentration: 1mg/ml

Target Protein: Protein BOC

Form: Liquid

Host: Rabbit

Clonality: Polyclonal

Isotype: IgG

Applications: ELISA (1:5000-10000)

Reactivity: (predicted:Human, Mouse, Rat, Pig, Sheep, Zebrafish, Chicken, Dog, Horse)

Predicted MW: 121 kDa Entrez Gene: 91653

Swiss Prot: Q9BWV1

Source: KLH conjugated synthetic peptide derived from human Protein BOC: 451-550/1114.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: BOC is a receptor-like, single pass membrane protein belonging to the cell surface molecule

subfamily of the Immunoglobulin/fibronectin type-III repeat family within the

immunoglobulin superfamily. It contains three fibronectin type-III domains and four

Immunoglobulin-like C2-type domains in its extracellular region. The intracellular region of

BOC is not required for proper function. BOC localizes to the cell membrane and is

ubiquitously expressed with highest expression levels in skeletal muscle and small intestine.

Its mRNA expression is down-regulated by Ras. BOC is involved in accelerating myoblast

differentiation and is dependent on CDO for its activity. BOC and CDO are co-expressed in

muscle precursors and are components of a receptor complex that mediates cell-cell

interactions important in myogenesis. Overexpression of BOC results in enhanced

differentiation of myoblast cells. In addition, BOC is a target and signaling component of the

Shh pathway.