## bs-6233R

## [ Primary Antibody ]

## NMT2 Rabbit pAb

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

DATASHEET -

Host: Rabbit Isotype: IgG

Clonality: Polyclonal

**GenelD:** 9397 SWISS: 060551

Target: NMT2

**Immunogen:** KLH conjugated synthetic peptide derived from human NMT2:

201-300/498.

**Purification:** affinity purified by Protein A

Concentration: 1mg/ml

**Storage:** 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50%

Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated

freeze/thaw cycles.

**Background:** NMT2 catalyzes the reaction of N-terminal myristoylation of many

signaling proteins. It transfers myristic acid from myristoyl coenzyme A to the amino group of a protein's N-terminal glycine residue. several distinct NMTs exist, varying in apparent molecular

weight and /or subcellular distribution.

Applications: WB (1:500-2000)

**IHC-P** (1:100-500) IHC-F (1:100-500) **IF** (1:100-500)

**ELISA** (1:5000-10000)

Reactivity: (predicted: Human, Mouse,

Rat, Rabbit, Pig, Cow, Chicken, Dog, Horse)

Predicted MW.: 57 kDa

**Subcellular Location:** Cell membrane ,Cytoplasm