

**bs-41112R**

**[ Primary Antibody ]**

## Creatine Kinase B Rabbit pAb

**BioSS**  
ANTIBODIES

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

### — DATASHEET —

<p><b>Host:</b> Rabbit</p> <p><b>Clonality:</b> Polyclonal</p> <p><b>GeneID:</b> 1152</p> <p><b>Target:</b> Creatine Kinase B</p> <p><b>Purification:</b> affinity purified by Protein A</p> <p><b>Concentration:</b> 1mg/ml</p> <p><b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.</p> <p><b>Background:</b> The Creatine Kinase MB (CK-MB) isoenzyme is predominantly found in the myocardium (heart muscle). Following a heart attack (myocardial infarction), damaged cells release CK-MB into the blood; these elevated CK levels can be seen 4-8 hours post-infarction and remain elevated for a few days. This makes creatine kinase a useful biomarker for assessing damage to CK-rich tissues, as in cases of rhabdomyolysis (severe muscle breakdown), acute kidney injury, and heart attack.</p>	<p><b>Isotype:</b> IgG</p> <p><b>SWISS:</b> P06732</p>	<p><b>Applications:</b> <b>WB</b> (1:500-2000) <b>IHC-P</b> (1:100-500) <b>IHC-F</b> (1:100-500) <b>IF</b> (1:100-500) <b>ICC/IF</b> (1:100-500) <b>ELISA</b> (1:5000-10000)</p> <p><b>Reactivity:</b> (predicted: Human)</p> <p><b>Predicted MW.:</b> 43 kDa</p> <p><b>Subcellular Location:</b> Cytoplasm</p>
---	--	---