

bs-11152R**[Primary Antibody]****PCDHGA12 Rabbit pAb**

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

— DATASHEET —

Host: Rabbit	Isotype: IgG	Applications: IHC-P (1:100-500) IHC-F (1:100-500) IF (1:100-500) ICC/IF (1:100-500) ELISA (1:5000-10000)
Clonality: Polyclonal		Reactivity: (predicted: Human, Mouse, Rat)
GeneID: 26025		Predicted MW.: 98 kDa
Target: PCDHGA12		Subcellular Location: Cell membrane
Immunogen: KLH conjugated synthetic peptide derived from human PCDHGA12: 101-200/932. < Extracellular >		
Purification: affinity purified by Protein A		
Concentration: 1mg/ml		
Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		
Background: Protocadherins are a large family of cadherin-like cell adhesion proteins that are involved in the establishment and maintenance of neuronal connections in the brain. There are three protocadherin gene clusters designated alpha, beta and gamma, all of which contain multiple tandemly arranged genes. The protocadherin gamma cluster consists of three subfamilies (A, B and C). As a member of the gamma subfamily A, PCDHGA12 (Protocadherin gamma A12), also known as Cadherin-21 and Fibroblast cadherin-3, is a 932 amino acid protein that is one of 22 proteins encoded by the protocadherin gamma cluster. Typical of gamma protocadherins, PCDHGA12 contains six cadherin motifs and is a type I transmembrane receptor expressed in the central nervous system. Ubiquitously expressed with lowest levels in spleen, PCDHGA12 is thought to be involved in cell signaling. There are three isoforms of PCDHGA12 that are produced as a result of alternative splicing events.		