## bs-2205R

## [ Primary Antibody ]

## SLAMF9 Rabbit pAb



www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

– DATASHEET –––––		400-901-9800
Host: Rabbit	<b>lsotype:</b> IgG	Applications: WB (1:500-2000)
Clonality: Polyclonal		IHC-P (1:100-500) IHC-F (1:100-500)
GenelD: 289235		<b>IF</b> (1:100-500)
Target: SLAMF9		ELISA (1:5000-10000)
Immunogen: KLH conjugated synthetic peptide derived from rat SLAMF9: 51-150/285. < Extracellular >		Reactivity: (predicted: Rat)
Purification: affinity purified by	y Protein A	
Concentration: 1mg/ml		Predicted
<b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol. Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.		Predicted MW.: <sup>30 kDa</sup> Subcellular Location: <sup>Cell</sup> membrane
<b>Background:</b> This gene encodes a member of the signaling lymphocytic activation molecule family. May play a role in the immune response. The encoded protein is a cell surface molecule that consists of two extracellular immunoglobulin domains, a transmembrane domain and a short cytoplasmic tail that lacks the signal transduction motifs found in other family members. Alternative splicing results in multiple transcript variants. Expression is predominantly restricted in hematopoietic tissues. Expressed in heart, spleen, liver, intestine, muscle and testis. Expressed in immune cells, including monocytes, dendritic, B- and T-cells. No expression was seen in peripheral blood leukocytes. Expressed in the leukocyte cell line THP1-macrophage.		es. and