

**bs-18655R****[ Primary Antibody ]****Mannosidase II Rabbit pAb**

www.bioss.com.cn

sales@bioss.com.cn

techsupport@bioss.com.cn

400-901-9800

**— DATASHEET —**

|  |                      |  |
|--|----------------------|--|
| <b>Host:</b> Rabbit  | <b>Isotype:</b> IgG  | <b>Applications:</b> <b>IHC-P</b> (1:100-500)<br><b>IHC-F</b> (1:100-500)<br><b>IF</b> (1:100-500)<br><b>ICC/IF</b> (1:100-500)<br><b>ELISA</b> (1:5000-10000)<br><br><b>Reactivity:</b> (predicted: Human, Mouse, Rat)<br><br><b>Predicted MW.:</b> 131 kDa<br><br><b>Subcellular Location:</b> Cell membrane |
| <b>Clonality:</b> Polyclonal   |                      |  |
| <b>GeneID:</b> 4124  | <b>SWISS:</b> Q16706 |  |
| <b>Target:</b> Mannosidase II  |                      |  |
| <b>Immunogen:</b> KLH conjugated synthetic peptide derived from human Mannosidase II: 351-450/1144.  |                      |  |
| <b>Purification:</b> affinity purified by Protein A  |                      |  |
| <b>Concentration:</b> 1mg/ml   |                      |  |
| <b>Storage:</b> 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.<br>Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.   |                      |  |
| <b>Background:</b> This gene encodes a glycosyl hydrolase that localizes to the Golgi and catalyzes the final hydrolytic step in the asparagine-linked oligosaccharide (N-glycan) maturation pathway. Mutations in the mouse homolog of this gene have been shown to cause a systemic autoimmune disease similar to human systemic lupus erythematosus. [provided by RefSeq, Dec 2013] |                      |  |