

www.bioss.com.cn sales@bioss.com.cn techsupport@bioss.com.cn 400-901-9800

MKL2 Rabbit pAb

Catalog Number: bs-18948R

Target Protein: MKL2 Concentration: 1mg/ml

Form: Liquid
Host: Rabbit
Clonality: Polyclonal

Isotype: IgG

Applications: IHC-P (1:100-500), IHC-F (1:100-500), IF (1:100-500), ICC/IF (1:100-500), ELISA (1:5000-10000)

Reactivity: (predicted: Human, Mouse, Rat, Pig, Sheep, Cow, Chicken, Dog, Horse)

Predicted MW: 118 kDa Subcellular Nucleus

Locations:

Entrez Gene: 57496 Swiss Prot: Q9ULH7

Source: KLH conjugated synthetic peptide derived from human MKKS: 221-320/1088.

Purification: affinity purified by Protein A

Storage: 0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.

Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Background: This gene encodes a protein which shares sequence similarity with other members of the

type II chaperonin family. The encoded protein is a centrosome-shuttling protein and plays an important role in cytokinesis. This protein also interacts with other type II chaperonin members to form a complex known as the BBSome, which involves ciliary membrane biogenesis. This protein is encoded by a downstream open reading frame (dORF). Several upstream open reading frames (uORFs) have been identified, which repress the translation of the dORF, and two of which can encode small mitochandrial membrane proteins.

of the dORF, and two of which can encode small mitochondrial membrane proteins.

Mutations in this gene have been observed in patients with Bardet-Biedl syndrome type 6, also known as McKusick-Kaufman syndrome. Alternative splicing results in multiple

transcript variants. [provided by RefSeq, Nov 2013]